


2 Level ADF Charge	Hospital	Outpatient Center
Pharmacy (anesthesia)	\$2,159.82	
IV solutions	\$97.99	
Med-Surg supplies	\$3,336.98	
Implants	\$65,226.39	\$2,850.00
Laboratory	\$106.40	
X-ray	\$272.16	
OR Services	\$26,762.40	\$35,106.00
Anesthesia	\$4,336.60	
Physical therapy	\$189.30	
Occupational therapy	\$113.30	
Pulmonary function (pulse ox)	\$394.92	
Drugs (intra-operative)	\$1,343.50	
Drugs (post-operative)	\$279.30	
Recovery room	\$2,088.00	
Total Billed Charges	\$119,529.23	\$37,956.80
Payments/adjustments		
Insurance payment	\$84,576.81	\$12,645.72
Patient payment	\$1,507.30	
Insurance adjustment	\$33,445.32	\$25,311.08
Total cost to insurance/patient	\$86,083.91	\$12,645.72



Cervical Arthroplasty



Outpatient ACDF vs Arthroplasty

Outpatient Charge	Single Level ACDF	Cervical Arthroplasty
Facility	\$25,000	\$25,000
Implants	\$1,900	\$5,900
Total Billed Charges	\$26,900	\$30,900
Ave. Insurance Payment	\$14,500	\$17,000
Average Patient's Co-pay	\$0	\$1,500

ORIGINAL ARTICLE

Surg Neurol Int 2010, 1:77

Safety and cost-effectiveness of outpatient cervical disc arthroplasty

Robert Winters
South Coast Neurosurgery, PLLC, 1802 S. Yalina, Tampa, FL 33640, USA

Date of Submission: 26 Sep 2010
Date of Acceptance: 26 Oct 2010
Date of Web Publication: 19 Dec 2010

Download Full Article | Read Article | Print Article | Read / Write Comments | Cite Article

Correspondence Address
Robert Winters
South Coast Neurosurgery, PLLC, 1802 S. Yalina, Tampa, FL 33640, USA

© 2010 Winters. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

DOI: 10.4103/1828-7864.73833
PMID: 21306559

Full Text Available at: <http://www.eurekaselect.com>

Abstract

Background: To assess the safety, clinical efficacy, and cost-effectiveness of outpatient cervical disc arthroplasty, we retrospectively reviewed the records of 20 consecutive patients who underwent outpatient cervical disc arthroplasty using a single-level cervical disc arthroplasty (SCDA) and 10 consecutive patients who underwent outpatient cervical disc arthroplasty using a single-level cervical anterior discectomy with fusion using allograft and plate and 84% less than the inpatient single-level cervical disc arthroplasty.

Conclusion: Outpatient cervical disc arthroplasty is safe and clinically effective in selected patients and is cost-effective compared with both inpatient cervical disc arthroplasty and outpatient anterior discectomy with fusion.

Keywords: Ambulatory surgery, cervical disc arthroplasty, cervical vertebrae, cost-effectiveness, disc arthroplasty, spine


MIS Instrumented Posterior Fusions



MIS Instrumented Posterior Lumbar Fusion

Single Level ILIF	Inpatient	Outpatient
Total Billed Charges	\$75,663	\$42,500
Ave. Insurance Payment	\$26,711	\$23,208

MIS TLIF



MIS TLIF

Single Level TLIF	Inpatient	Outpatient
Total Billed Charges	\$160,606	\$45,499
Ave. Insurance Payment	\$59,251	\$25,000

Thank you